



# **LED - Ginger**

## **Joan Gaspar**

**marset**

The Ginger collection has moved outdoors, with a series of wall sconces, including a new 15 cm sconce – perfect for passageways and small outdoor areas—a lamppost, and small bollard lamps. The collection features new floor

lamps, raised by means of a post that can be buried in dirt or gravel, perfect for illuminating pathways, gardens, terraces, and walls, and blending nicely with vegetation.



LED - Ginger B20/44

Code	Finish
A662-585-31	● Rust brown - White
A662-585-39	● Black-White (RAL 9005-9010)

Dimmable: Yes  
Integrated dimmer: No  
Dimming protocols: It depends on the purchased power supply: 0-10V


Materials  
Diffuser: Aluminum  
Structure: Aluminum

Suitable for wet locations

LED included



Electrical  
Electrical Rating: 24Vdc 5W  
Luminaire: 161lm  
CCT: 27K  
CRI: 90  
  
Product notes: 24V remote power supply to be ordered separately. Dimming protocols: 0-10V



LED - Ginger B20/63

Code  
A662-586-31  
A662-586-39

Finish  
● Rust brown - White  
● Black-White (RAL 9005-9010)

Dimmable: Yes  
Integrated dimmer: No  
Dimming protocols: 0-10V

Materials  
Diffuser: Aluminium  
Dissipater: Aluminium


Suitable for wet locations

LED included



Electrical  
Electrical Rating: 24Vdc 5W  
Luminaire: 161lm  
CCT: 27K  
CRI: 90

Product notes: 24V remote power supply to be ordered separately. Dimming protocols: 0-10V



LED - Ginger B20/86

Code  
A662-587-31  
A662-587-39

Finish  
● Rust brown - White  
● Black-White (RAL 9005-9010)

Dimmable: Yes  
Integrated dimmer: No  
Dimming protocols: 0-10V

Materials  
Diffuser: Aluminium  
Dissipater: Aluminium


Suitable for wet locations

LED included



Electrical  
Electrical Rating: 24Vdc 5W  
Luminaire: 161lm  
CCT: 27K  
CRI: 90

Product notes: 24V remote power supply to be ordered separately. Dimming protocols: 0-10V






Post Accessory

Code	Finish
A662-555	● Stainless steel


Materials  
Structure: Stainless steel 316 L



Ground fixation plate

Code	Finish
A662-556	● Stainless steel

Materials  
Structure: Stainless steel 316 L



Power supply - Dimmable

Code	Description	Dimming	Class	Electrical Rating
968-230	Power supply 60W - 24V	0-10V	2	120-277VAC Max.60W
968-233	Power supply 100W - 24V	0-10V	2	120-277VAC Max.100W

LED-Ginger: Connector accessory

Code	Description
A963-001	2 way terminal block 4 poles IP68 H2O Stop. (ø0.2/0.5" cable).
A963-002	3/4 way terminal block 4 poles IP68 H2O Stop. (ø0.2/0.5" cable).



**⚠ WARNING.** California Proposition 65 Warning for California Consumers. This product can expose you to chemicals including wood dust and lead which are known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Download

[marsetusa@marset.com](mailto:marsetusa@marset.com)  
[www.marset.com](http://www.marset.com)  
  
Photometric data file (LDT or IES)  
2D, 3D, Photometric Data  
Assembly instructions

Collection

